

[2020-10-18 18:46:04] VERBOSE[2913][C-000003a3] netsock2.c: Using SIP RTP TOS bits 184 [2020-10-18 18:46:04] VERBOSE[2913][C-000003a3] netsock2.c: Using SIP RTP CoS mark 5 [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx.c: Executing [09981000000@from-internal:1] Macro("SIP/88-000000c9", "user-callerid,LIMIT,EXTERNAL,") in new stack [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-user-callerid:1] Set("SIP/88-000000c9", "TOUCH_MONITOR=1603034164.11007") in new stack [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-user-callerid:2] Set("SIP/88-000000c9", "AMPUSER=88") in new stack [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-user-callerid:3] GotoIf("SIP/88-000000c9", "0?report") in new stack [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-user-callerid:4] ExecIf("SIP/88-000000c9", "1?Set(REALCALLERIDNUM=88)") in new stack [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-user-callerid:5] Set("SIP/88-000000c9", "AMPUSER=88") in new stack [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-user-callerid:6] GotoIf("SIP/88-000000c9", "0?limit") in new stack [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-user-callerid:7] Set("SIP/88-000000c9", "AMPUSERCIDNAME=Hadi Kamell") in new stack [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-user-callerid:8] GotoIf("SIP/88-000000c9", "0?report") in new stack [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-user-callerid:9] Set("SIP/88-000000c9", "AMPUSERCID=88") in new stack [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-user-callerid:10] Set("SIP/88-000000c9", "__DIAL_OPTIONS=tr") in new stack [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-user-callerid:11] Set("SIP/88-000000c9", "CALLERID(all)="Hadi Kamell" <88>") in new stack [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-user-callerid:12] GotoIf("SIP/88-000000c9", "0?limit") in new stack [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-user-callerid:13] ExecIf("SIP/88-000000c9", "1?Set(GROUP(concurrency_limit)=88)") in new stack [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-user-callerid:14] ExecIf("SIP/88-000000c9", "0?Set(CHANNEL(language)=)") in new stack [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-user-callerid:15] GotoIf("SIP/88-000000c9", "1?continue") in new stack [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx_builtins.c: Goto (macro-user-callerid,s,28) [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-user-callerid:28] Set("SIP/88-000000c9", "CALLERID(number)=88") in new stack [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-user-callerid:29] Set("SIP/88-000000c9", "CALLERID(name)=Hadi Kamell") in new stack [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-user-callerid:30] Set("SIP/88-000000c9", "CDR(cnum)=88") in new stack [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-user-callerid:31] Set("SIP/88-000000c9", "CDR(cnam)=Hadi Kamell") in new stack [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-user-callerid:32] Set("SIP/88-000000c9", "CHANNEL(language)=pr") in new stack [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx.c: Executing [09981000000@from-internal:2] Set("SIP/88-000000c9", "MOHCLASS=default") in new stack [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx.c: Executing [09981000000@from-internal:3] Set("SIP/88-000000c9", "_NODEST=") in new stack [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx.c: Executing [09981000000@from-internal:4] Gosub("SIP/88-000000c9", "sub-record-check,s,1(out,09981000000,") in new stack [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@sub-record-check:1] Set("SIP/88-000000c9", "REC_POLICY_MODE_SAVE=") in new stack [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@sub-record-check:2] GotoIf("SIP/88-000000c9", "1?check") in new stack [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx_builtins.c: Goto (sub-record-check,s,7) [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@sub-record-check:7] Set("SIP/88-000000c9", "__MON_FMT=wav") in new stack [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@sub-record-check:8] GotoIf("SIP/88-000000c9", "1?next") in new stack [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx_builtins.c: Goto (sub-record-check,s,11) [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@sub-record-check:11] ExecIf("SIP/88-000000c9", "0?Return()") in new stack [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@sub-record-check:12] ExecIf("SIP/88-000000c9", "0?Set(__REC_POLICY_MODE=)") in new stack [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@sub-record-check:13] GotoIf("SIP/88-000000c9", "0?out,1") in new stack [2020-10-18 18:46:04]

```

VERBOSE[15033][C-000003a3] pbx.c: Executing [s@sub-record-check:14] Set("SIP/88-000000c9",
"__REC_STATUS=INITIALIZED") in new stack [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3]
pbx.c: Executing [s@sub-record-check:15] Set("SIP/88-000000c9", "NOW=1603034164") in new stack [2020-
10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@sub-record-check:16] Set("SIP/88-
000000c9", "__DAY=18") in new stack [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx.c:
Executing [s@sub-record-check:17] Set("SIP/88-000000c9", "__MONTH=10") in new stack [2020-10-18
18:46:04] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@sub-record-check:18] Set("SIP/88-000000c9",
"__YEAR=2020") in new stack [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx.c: Executing
[s@sub-record-check:19] Set("SIP/88-000000c9", "__TIMESTR=20201018-184604") in new stack [2020-10-18
18:46:04] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@sub-record-check:20] Set("SIP/88-000000c9",
"__FROMEXTEN=88") in new stack [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx.c: Executing
[s@sub-record-check:21] Set("SIP/88-000000c9", "__CALLFILENAME=out-09981000000-88-20201018-
184604-1603034164.11007") in new stack [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx.c:
Executing [s@sub-record-check:22] Goto("SIP/88-000000c9", "out,1") in new stack [2020-10-18 18:46:04]
VERBOSE[15033][C-000003a3] pbx_builtins.c: Goto (sub-record-check,out,1) [2020-10-18 18:46:04]
VERBOSE[15033][C-000003a3] pbx.c: Executing [out@sub-record-check:1] ExecIf("SIP/88-000000c9", "1?
Set(__REC_POLICY_MODE=always)") in new stack [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3]
pbx.c: Executing [out@sub-record-check:2] GosubIf("SIP/88-000000c9", "1?record,1(exten,09981000000,88)")
in new stack [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx.c: Executing [record@sub-record-
check:1] Set("SIP/88-000000c9", "AUDIOHOOK_INHERIT(MixMonitor)=yes") in new stack [2020-10-18
18:46:04] ERROR[15033][C-000003a3] pbx_functions.c: Function AUDIOHOOK_INHERIT not registered
[2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx.c: Executing [record@sub-record-check:2]
MixMonitor("SIP/88-000000c9", "2020/10/18/out-09981000000-88-20201018-184604-
1603034164.11007.wav,") in new stack [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx.c:
Executing [record@sub-record-check:3] Set("SIP/88-000000c9", "__REC_STATUS=RECORDING") in new
stack [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx.c: Executing [record@sub-record-check:4]
Set("SIP/88-000000c9", "CDR(recordingfile)=out-09981000000-88-20201018-184604-
1603034164.11007.wav") in new stack [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx.c:
Executing [record@sub-record-check:5] Return("SIP/88-000000c9", "") in new stack [2020-10-18 18:46:04]
VERBOSE[15033][C-000003a3] pbx.c: Executing [out@sub-record-check:3] Return("SIP/88-000000c9", "") in
new stack [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx.c: Executing [09981000000@from-
internal:5] Macro("SIP/88-000000c9", "dialout-trunk,2,09981000000,,off") in new stack [2020-10-18 18:46:04]
VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-dialout-trunk:1] Set("SIP/88-000000c9",
"DIAL_TRUNK=2") in new stack [2020-10-18 18:46:04] VERBOSE[15033][C-000003a3] pbx.c: Executing
[s@macro-dialout-trunk:2] AGI("SIP/88-000000c9", "trunkbalance.php,2,09981000000") in new stack [2020-
10-18 18:46:04] VERBOSE[15033][C-000003a3] res_agi.c: Launched AGI Script /var/lib/asterisk/agi-
bin/trunkbalance.php [2020-10-18 18:46:04] VERBOSE[15034][C-000003a3] app_mixmonitor.c: Begin
MixMonitor Recording SIP/88-000000c9 [2020-10-18 18:46:05] VERBOSE[15038] manager.c: Manager
'admin' logged on from 127.0.0.1 [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] res_agi.c:
trunkbalance.php,2,09981000000: Dialed digits: 09981000000 [2020-10-18 18:46:05] VERBOSE[15033][C-
000003a3] res_agi.c: trunkbalance.php,2,09981000000: No balancing rules are defined for this trunk [2020-10-
18 18:46:05] VERBOSE[15038] manager.c: Manager 'admin' logged off from 127.0.0.1 [2020-10-18 18:46:05]
VERBOSE[15033][C-000003a3] res_agi.c: AGI Script trunkbalance.php completed, returning 0 [2020-10-18
18:46:05] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-dialout-trunk:3] GosubIf("SIP/88-
000000c9", "0?sub-pincheck,s,1()") in new stack [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3]
pbx.c: Executing [s@macro-dialout-trunk:4] GotoIf("SIP/88-000000c9", "0?disabletrunk,1") in new stack
[2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-dialout-trunk:5]
Set("SIP/88-000000c9", "DIAL_NUMBER=09981000000") in new stack [2020-10-18 18:46:05]
VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-dialout-trunk:6] Set("SIP/88-000000c9",
"DIAL_TRUNK_OPTIONS=tr") in new stack [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c:
Executing [s@macro-dialout-trunk:7] Set("SIP/88-000000c9", "OUTBOUND_GROUP=OUT_2") in new stack
[2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-dialout-trunk:8]
GotoIf("SIP/88-000000c9", "1?nomax") in new stack [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3]
pbx_builtins.c: Goto (macro-dialout-trunk,s,10) [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c:

```

Executing [s@macro-dialout-trunk:10] GotoIf("SIP/88-000000c9", "0?skipoutcid") in new stack [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-dialout-trunk:11] Set("SIP/88-000000c9", "DIAL_TRUNK_OPTIONS=T") in new stack [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-dialout-trunk:12] Macro("SIP/88-000000c9", "outbound-callerid,2") in new stack [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-outbound-callerid:1] ExecIf("SIP/88-000000c9", "0?Set(CALLERPRES())") in new stack [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-outbound-callerid:2] ExecIf("SIP/88-000000c9", "0?Set(REALCALLERIDNUM=88)") in new stack [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-outbound-callerid:3] GotoIf("SIP/88-000000c9", "1?normcid") in new stack [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx_builtins.c: Goto (macro-outbound-callerid,s,6) [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-outbound-callerid:6] Set("SIP/88-000000c9", "USEROUTCID=") in new stack [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-outbound-callerid:7] Set("SIP/88-000000c9", "EMERGENCYCID=") in new stack [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-outbound-callerid:8] Set("SIP/88-000000c9", "TRUNKOUTCID=5691002222") in new stack [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-outbound-callerid:9] GotoIf("SIP/88-000000c9", "1?trunkcid") in new stack [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx_builtins.c: Goto (macro-outbound-callerid,s,14) [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-outbound-callerid:14] ExecIf("SIP/88-000000c9", "1?Set(CALLERID(all)=5691002222)") in new stack [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-outbound-callerid:15] ExecIf("SIP/88-000000c9", "0?Set(CALLERID(all)=)") in new stack [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-outbound-callerid:16] ExecIf("SIP/88-000000c9", "0?Set(CALLERID(all)=)") in new stack [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-outbound-callerid:17] ExecIf("SIP/88-000000c9", "0?Set(CALLERPRES())=prohib_passed_screen") in new stack [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-outbound-callerid:18] Set("SIP/88-000000c9", "CDR(outbound_cnum)=5691002222") in new stack [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-outbound-callerid:19] Set("SIP/88-000000c9", "CDR(outbound_cnam)=") in new stack [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-dialout-trunk:13] GosubIf("SIP/88-000000c9", "0?sub-flp-2,s,1()") in new stack [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-dialout-trunk:14] Set("SIP/88-000000c9", "OUTNUM=09981000000") in new stack [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-dialout-trunk:15] Set("SIP/88-000000c9", "custom=SIP/91002222") in new stack [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-dialout-trunk:16] ExecIf("SIP/88-000000c9", "0?Set(DIAL_TRUNK_OPTIONS=M(setmusic^default)T)") in new stack [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-dialout-trunk:17] ExecIf("SIP/88-000000c9", "0?Set(DIAL_TRUNK_OPTIONS=TM(confirm))") in new stack [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-dialout-trunk:18] Macro("SIP/88-000000c9", "dialout-trunk-predial-hook,") in new stack [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-dialout-trunk-predial-hook:1] MacroExit("SIP/88-000000c9", "") in new stack [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-dialout-trunk:19] GotoIf("SIP/88-000000c9", "0?bypass,1") in new stack [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-dialout-trunk:20] ExecIf("SIP/88-000000c9", "1?Set(CONNECTEDLINE(num,i)=09981000000)") in new stack [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-dialout-trunk:21] ExecIf("SIP/88-000000c9", "1?Set(CONNECTEDLINE(name,i)=CID:5691002222)") in new stack [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-dialout-trunk:22] GotoIf("SIP/88-000000c9", "0?customtrunk") in new stack [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-dialout-trunk:23] Dial("SIP/88-000000c9", "SIP/91002222/09981000000,300,T") in new stack [2020-10-18 18:46:05] WARNING[15033][C-000003a3] chan_sip.c: Purely numeric hostname (91002222), and not a peer--rejecting! [2020-10-18 18:46:05] WARNING[15033][C-000003a3] app_dial.c: Unable to create channel of type 'SIP' (cause 20 - Subscriber absent) [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] app_dial.c: Everyone is busy/congested at this time (1:0/0/1) [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-dialout-trunk:24] NoOp("SIP/88-000000c9", "Dial failed for some reason with DIALSTATUS = CHANUNAVAIL and HANGUPCAUSE = 20") in new stack

[2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-dialout-trunk:25] GotoIf("SIP/88-000000c9", "0?continue,1:s-CHANUNAVAIL,1") in new stack [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx_builtins.c: Goto (macro-dialout-trunk,s-CHANUNAVAIL,1) [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c: Executing [s-CHANUNAVAIL@macro-dialout-trunk:1] Set("SIP/88-000000c9", "RC=20") in new stack [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c: Executing [s-CHANUNAVAIL@macro-dialout-trunk:2] Goto("SIP/88-000000c9", "20,1") in new stack [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx_builtins.c: Goto (macro-dialout-trunk,20,1) [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c: Executing [20@macro-dialout-trunk:1] Goto("SIP/88-000000c9", "continue,1") in new stack [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx_builtins.c: Goto (macro-dialout-trunk,continue,1) [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c: Executing [continue@macro-dialout-trunk:1] NoOp("SIP/88-000000c9", "TRUNK Dial failed due to CHANUNAVAIL HANGUPCAUSE: 20 - failing through to other trunks") in new stack [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c: Executing [continue@macro-dialout-trunk:2] Set("SIP/88-000000c9", "CALLERID(number)=88") in new stack [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c: Executing [09981000000@from-internal:6] Macro("SIP/88-000000c9", "outisbusy,") in new stack [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-outisbusy:1] Progress("SIP/88-000000c9", "") in new stack [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-outisbusy:2] GotoIf("SIP/88-000000c9", "0?emergency,1") in new stack [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-outisbusy:3] GotoIf("SIP/88-000000c9", "0?intracompany,1") in new stack [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-outisbusy:4] GotoIf("SIP/88-000000c9", "0?unallocated,1") in new stack [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-outisbusy:5] GotoIf("SIP/88-000000c9", "0?unallocated,1") in new stack [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-outisbusy:6] Playback("SIP/88-000000c9", "all-circuits-busy-now&pls-try-call-later, noanswer") in new stack [2020-10-18 18:46:05] VERBOSE[15033][C-000003a3] file.c: Playing 'all-circuits-busy-now.slin' (language 'pr') [2020-10-18 18:46:08] VERBOSE[15033][C-000003a3] file.c: Playing 'pls-try-call-later.slin' (language 'pr') [2020-10-18 18:46:10] VERBOSE[15033][C-000003a3] pbx.c: Executing [s@macro-outisbusy:7] Congestion("SIP/88-000000c9", "20") in new stack [2020-10-18 18:46:10] WARNING[15033][C-000003a3] channel.c: Prodding channel 'SIP/88-000000c9' failed [2020-10-18 18:46:10] VERBOSE[15033][C-000003a3] app_macro.c: Spawn extension (macro-outisbusy, s, 7) exited non-zero on 'SIP/88-000000c9' in macro 'outisbusy' [2020-10-18 18:46:10] VERBOSE[15033][C-000003a3] pbx.c: Spawn extension (from-internal, 09981000000, 6) exited non-zero on 'SIP/88-000000c9' [2020-10-18 18:46:10] VERBOSE[15033][C-000003a3] pbx.c: Executing [h@from-internal:1] Hangup("SIP/88-000000c9", "") in new stack [2020-10-18 18:46:10] VERBOSE[15033][C-000003a3] pbx.c: Spawn extension (from-internal, h, 1) exited non-zero on 'SIP/88-000000c9' [2020-10-18 18:46:11] VERBOSE[15034][C-000003a3] app_mixmonitor.c: MixMonitor close filestream (mixed) [2020-10-18 18:46:11] VERBOSE[15034][C-000003a3] app_mixmonitor.c: End MixMonitor Recording SIP/88-000000c9 [2020-10-18 18:46:16] VERBOSE[2913][C-000003a4] netsock2.c: Using SIP RTP TOS bits 184 [2020-10-18 18:46:16] VERBOSE[2913][C-000003a4] netsock2.c: Using SIP RTP CoS mark 5 [2020-10-18 18:46:16] VERBOSE[15039][C-000003a4] pbx.c: Executing [09981000000@from-internal:1] Macro("SIP/88-000000ca", "user-callerid,LIMIT,EXTERNAL,") in new stack [2020-10-18 18:46:16] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-user-callerid:1] Set("SIP/88-000000ca", "TOUCH_MONITOR=1603034176.11014") in new stack [2020-10-18 18:46:16] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-user-callerid:2] Set("SIP/88-000000ca", "AMPUSER=88") in new stack [2020-10-18 18:46:16] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-user-callerid:3] GotoIf("SIP/88-000000ca", "0?report") in new stack [2020-10-18 18:46:16] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-user-callerid:4] ExecIf("SIP/88-000000ca", "1? Set(REALCALLERIDNUM=88)") in new stack [2020-10-18 18:46:16] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-user-callerid:5] Set("SIP/88-000000ca", "AMPUSER=88") in new stack [2020-10-18 18:46:16] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-user-callerid:6] GotoIf("SIP/88-000000ca", "0?limit") in new stack [2020-10-18 18:46:16] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-user-callerid:7] Set("SIP/88-000000ca", "AMPUSERCIDNAME=Hadi Kamell") in new stack [2020-10-18 18:46:16] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-user-callerid:8] GotoIf("SIP/88-000000ca", "0?report") in new stack [2020-10-18 18:46:16] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-user-callerid:9] Set("SIP/88-000000ca", "AMPUSERCID=88") in new stack [2020-10-18 18:46:16]

```

VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-user-callerid:10] Set("SIP/88-000000ca",
"__DIAL_OPTIONS=tr") in new stack [2020-10-18 18:46:16] VERBOSE[15039][C-000003a4] pbx.c:
Executing [s@macro-user-callerid:11] Set("SIP/88-000000ca", "CALLERID(all)="Hadi Kamell" <88>") in new
stack [2020-10-18 18:46:16] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-user-callerid:12]
GotoIf("SIP/88-000000ca", "0?limit") in new stack [2020-10-18 18:46:16] VERBOSE[15039][C-000003a4]
pbx.c: Executing [s@macro-user-callerid:13] ExecIf("SIP/88-000000ca", "1?
Set(GROUP(concurrency_limit)=88)") in new stack [2020-10-18 18:46:16] VERBOSE[15039][C-000003a4]
pbx.c: Executing [s@macro-user-callerid:14] ExecIf("SIP/88-000000ca", "0?Set(CHANNEL(language)=)") in
new stack [2020-10-18 18:46:16] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-user-
callerid:15] GotoIf("SIP/88-000000ca", "1?continue") in new stack [2020-10-18 18:46:16] VERBOSE[15039]
[C-000003a4] pbx_builtins.c: Goto (macro-user-callerid,s,28) [2020-10-18 18:46:16] VERBOSE[15039][C-
000003a4] pbx.c: Executing [s@macro-user-callerid:28] Set("SIP/88-000000ca", "CALLERID(number)=88") in
new stack [2020-10-18 18:46:16] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-user-
callerid:29] Set("SIP/88-000000ca", "CALLERID(name)=Hadi Kamell") in new stack [2020-10-18 18:46:16]
VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-user-callerid:30] Set("SIP/88-000000ca",
"CDR(cnum)=88") in new stack [2020-10-18 18:46:16] VERBOSE[15039][C-000003a4] pbx.c: Executing
[s@macro-user-callerid:31] Set("SIP/88-000000ca", "CDR(cnam)=Hadi Kamell") in new stack [2020-10-18
18:46:16] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-user-callerid:32] Set("SIP/88-
000000ca", "CHANNEL(language)=pr") in new stack [2020-10-18 18:46:16] VERBOSE[15039][C-000003a4]
pbx.c: Executing [09981000000@from-internal:2] Set("SIP/88-000000ca", "MOHCLASS=default") in new
stack [2020-10-18 18:46:16] VERBOSE[15039][C-000003a4] pbx.c: Executing [09981000000@from-
internal:3] Set("SIP/88-000000ca", "__NODEST=") in new stack [2020-10-18 18:46:16] VERBOSE[15039][C-
000003a4] pbx.c: Executing [09981000000@from-internal:4] Gosub("SIP/88-000000ca", "sub-record-
check,s,1(out,09981000000,)") in new stack [2020-10-18 18:46:16] VERBOSE[15039][C-000003a4] pbx.c:
Executing [s@sub-record-check:1] Set("SIP/88-000000ca", "REC_POLICY_MODE_SAVE=") in new stack
[2020-10-18 18:46:16] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@sub-record-check:2]
GotoIf("SIP/88-000000ca", "1?check") in new stack [2020-10-18 18:46:16] VERBOSE[15039][C-000003a4]
pbx_builtins.c: Goto (sub-record-check,s,7) [2020-10-18 18:46:16] VERBOSE[15039][C-000003a4] pbx.c:
Executing [s@sub-record-check:7] Set("SIP/88-000000ca", "__MON_FMT=wav") in new stack [2020-10-18
18:46:16] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@sub-record-check:8] GotoIf("SIP/88-
000000ca", "1?next") in new stack [2020-10-18 18:46:16] VERBOSE[15039][C-000003a4] pbx_builtins.c:
Goto (sub-record-check,s,11) [2020-10-18 18:46:16] VERBOSE[15039][C-000003a4] pbx.c: Executing
[s@sub-record-check:11] ExecIf("SIP/88-000000ca", "0?Return()") in new stack [2020-10-18 18:46:16]
VERBOSE[15039][C-000003a4] pbx.c: Executing [s@sub-record-check:12] ExecIf("SIP/88-000000ca", "0?
Set(__REC_POLICY_MODE=)") in new stack [2020-10-18 18:46:16] VERBOSE[15039][C-000003a4] pbx.c:
Executing [s@sub-record-check:13] GotoIf("SIP/88-000000ca", "0?out,1") in new stack [2020-10-18 18:46:16]
VERBOSE[15039][C-000003a4] pbx.c: Executing [s@sub-record-check:14] Set("SIP/88-000000ca",
"__REC_STATUS=INITIALIZED") in new stack [2020-10-18 18:46:16] VERBOSE[15039][C-000003a4]
pbx.c: Executing [s@sub-record-check:15] Set("SIP/88-000000ca", "NOW=1603034176") in new stack [2020-
10-18 18:46:16] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@sub-record-check:16] Set("SIP/88-
000000ca", "__DAY=18") in new stack [2020-10-18 18:46:16] VERBOSE[15039][C-000003a4] pbx.c:
Executing [s@sub-record-check:17] Set("SIP/88-000000ca", "__MONTH=10") in new stack [2020-10-18
18:46:16] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@sub-record-check:18] Set("SIP/88-000000ca",
"__YEAR=2020") in new stack [2020-10-18 18:46:16] VERBOSE[15039][C-000003a4] pbx.c: Executing
[s@sub-record-check:19] Set("SIP/88-000000ca", "__TIMESTR=20201018-184616") in new stack [2020-10-18
18:46:16] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@sub-record-check:20] Set("SIP/88-000000ca",
"__FROMEXTEN=88") in new stack [2020-10-18 18:46:16] VERBOSE[15039][C-000003a4] pbx.c: Executing
[s@sub-record-check:21] Set("SIP/88-000000ca", "__CALLFILENAME=out-09981000000-88-20201018-
184616-1603034176.11014") in new stack [2020-10-18 18:46:16] VERBOSE[15039][C-000003a4] pbx.c:
Executing [s@sub-record-check:22] Goto("SIP/88-000000ca", "out,1") in new stack [2020-10-18 18:46:16]
VERBOSE[15039][C-000003a4] pbx_builtins.c: Goto (sub-record-check,out,1) [2020-10-18 18:46:16]
VERBOSE[15039][C-000003a4] pbx.c: Executing [out@sub-record-check:1] ExecIf("SIP/88-000000ca", "1?
Set(__REC_POLICY_MODE=always)") in new stack [2020-10-18 18:46:16] VERBOSE[15039][C-000003a4]
pbx.c: Executing [out@sub-record-check:2] GosubIf("SIP/88-000000ca", "1?record,1(exten,09981000000,88)")

```

in new stack [2020-10-18 18:46:16] VERBOSE[15039][C-000003a4] pbx.c: Executing [record@sub-record-check:1] Set("SIP/88-000000ca", "AUDIOHOOK_INHERIT(MixMonitor)=yes") in new stack [2020-10-18 18:46:16] ERROR[15039][C-000003a4] pbx_functions.c: Function AUDIOHOOK_INHERIT not registered [2020-10-18 18:46:16] VERBOSE[15039][C-000003a4] pbx.c: Executing [record@sub-record-check:2] MixMonitor("SIP/88-000000ca", "2020/10/18/out-09981000000-88-20201018-184616-1603034176.11014.wav,") in new stack [2020-10-18 18:46:16] VERBOSE[15039][C-000003a4] pbx.c: Executing [record@sub-record-check:3] Set("SIP/88-000000ca", "__REC_STATUS=RECORDING") in new stack [2020-10-18 18:46:16] VERBOSE[15039][C-000003a4] pbx.c: Executing [record@sub-record-check:4] Set("SIP/88-000000ca", "CDR(recordingfile)=out-09981000000-88-20201018-184616-1603034176.11014.wav") in new stack [2020-10-18 18:46:16] VERBOSE[15039][C-000003a4] pbx.c: Executing [record@sub-record-check:5] Return("SIP/88-000000ca", "") in new stack [2020-10-18 18:46:16] VERBOSE[15039][C-000003a4] pbx.c: Executing [out@sub-record-check:3] Return("SIP/88-000000ca", "") in new stack [2020-10-18 18:46:16] VERBOSE[15039][C-000003a4] pbx.c: Executing [09981000000@from-internal:5] Macro("SIP/88-000000ca", "dialout-trunk,2,09981000000,,off") in new stack [2020-10-18 18:46:16] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-dialout-trunk:1] Set("SIP/88-000000ca", "DIAL_TRUNK=2") in new stack [2020-10-18 18:46:16] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-dialout-trunk:2] AGI("SIP/88-000000ca", "trunkbalance.php,2,09981000000") in new stack [2020-10-18 18:46:16] VERBOSE[15039][C-000003a4] res_agi.c: Launched AGI Script /var/lib/asterisk/agi-bin/trunkbalance.php [2020-10-18 18:46:16] VERBOSE[15040][C-000003a4] app_mixmonitor.c: Begin MixMonitor Recording SIP/88-000000ca [2020-10-18 18:46:16] VERBOSE[15044] manager.c: Manager 'admin' logged on from 127.0.0.1 [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] res_agi.c: trunkbalance.php,2,09981000000: Dialed digits: 09981000000 [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] res_agi.c: trunkbalance.php,2,09981000000: No balancing rules are defined for this trunk [2020-10-18 18:46:17] VERBOSE[15044] manager.c: Manager 'admin' logged off from 127.0.0.1 [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] res_agi.c: AGI Script trunkbalance.php completed, returning 0 [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-dialout-trunk:3] GosubIf("SIP/88-000000ca", "0?sub-pincheck,s,1()") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-dialout-trunk:4] GotoIf("SIP/88-000000ca", "0?disabletrunk,1") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-dialout-trunk:5] Set("SIP/88-000000ca", "DIAL_NUMBER=09981000000") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-dialout-trunk:6] Set("SIP/88-000000ca", "DIAL_TRUNK_OPTIONS=tr") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-dialout-trunk:7] Set("SIP/88-000000ca", "OUTBOUND_GROUP=OUT_2") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-dialout-trunk:8] GotoIf("SIP/88-000000ca", "1?nomax") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx_builtins.c: Goto (macro-dialout-trunk,s,10) [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-dialout-trunk:10] GotoIf("SIP/88-000000ca", "0?skipoutcid") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-dialout-trunk:11] Set("SIP/88-000000ca", "DIAL_TRUNK_OPTIONS=T") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-dialout-trunk:12] Macro("SIP/88-000000ca", "outbound-callerid,2") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-outbound-callerid:1] ExecIf("SIP/88-000000ca", "0?Set(CALLERPRES())") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-outbound-callerid:2] ExecIf("SIP/88-000000ca", "0?Set(REALCALLERIDNUM=88)") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-outbound-callerid:3] GotoIf("SIP/88-000000ca", "1?normcid") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx_builtins.c: Goto (macro-outbound-callerid,s,6) [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-outbound-callerid:6] Set("SIP/88-000000ca", "USEROUTCID=") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-outbound-callerid:7] Set("SIP/88-000000ca", "EMERGENCYCID=") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-outbound-callerid:8] Set("SIP/88-000000ca", "TRUNKOUTCID=569100222") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-outbound-callerid:9] GotoIf("SIP/88-000000ca", "1?trunkcid") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx_builtins.c: Goto (macro-outbound-callerid,s,14) [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing

[s@macro-outbound-callerid:14] ExecIf("SIP/88-000000ca", "1?Set(CALLERID(all)=5691002222)") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-outbound-callerid:15] ExecIf("SIP/88-000000ca", "0?Set(CALLERID(all)=)") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-outbound-callerid:16] ExecIf("SIP/88-000000ca", "0?Set(CALLERID(all)=)") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-outbound-callerid:17] ExecIf("SIP/88-000000ca", "0?Set(CALLERPRES)=prohib_passed_screen)") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-outbound-callerid:18] Set("SIP/88-000000ca", "CDR(outbound_cnum)=5691002222") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-outbound-callerid:19] Set("SIP/88-000000ca", "CDR(outbound_cnam)=") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-dialout-trunk:13] GosubIf("SIP/88-000000ca", "0?sub-flp-2,s,1)") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-dialout-trunk:14] Set("SIP/88-000000ca", "OUTNUM=09981000000") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-dialout-trunk:15] Set("SIP/88-000000ca", "custom=SIP/91002222") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-dialout-trunk:16] ExecIf("SIP/88-000000ca", "0?Set(DIAL_TRUNK_OPTIONS=M(setmusic^default)T)") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-dialout-trunk:17] ExecIf("SIP/88-000000ca", "0?Set(DIAL_TRUNK_OPTIONS=TM(confirm)") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-dialout-trunk:18] Macro("SIP/88-000000ca", "dialout-trunk-predial-hook,") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-dialout-trunk-predial-hook:1] MacroExit("SIP/88-000000ca", "") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-dialout-trunk:19] GotoIf("SIP/88-000000ca", "0?bypass,1") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-dialout-trunk:20] ExecIf("SIP/88-000000ca", "1?Set(CONNECTEDLINE(num,i)=09981000000)") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-dialout-trunk:21] ExecIf("SIP/88-000000ca", "1?Set(CONNECTEDLINE(name,i)=CID:5691002222)") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-dialout-trunk:22] GotoIf("SIP/88-000000ca", "0?customtrunk") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-dialout-trunk:23] Dial("SIP/88-000000ca", "SIP/91002222/09981000000,300,T") in new stack [2020-10-18 18:46:17] WARNING[15039][C-000003a4] chan_sip.c: Purely numeric hostname (91002222), and not a peer--rejecting! [2020-10-18 18:46:17] WARNING[15039][C-000003a4] app_dial.c: Unable to create channel of type 'SIP' (cause 20 - Subscriber absent) [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] app_dial.c: Everyone is busy/congested at this time (1:0/0/1) [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-dialout-trunk:24] NoOp("SIP/88-000000ca", "Dial failed for some reason with DIALSTATUS = CHANUNAVAIL and HANGUPCAUSE = 20") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-dialout-trunk:25] GotoIf("SIP/88-000000ca", "0?continue,1:s-CHANUNAVAIL,1") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx_builtins.c: Goto (macro-dialout-trunk,s-CHANUNAVAIL,1) [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [s-CHANUNAVAIL@macro-dialout-trunk:1] Set("SIP/88-000000ca", "RC=20") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [s-CHANUNAVAIL@macro-dialout-trunk:2] Goto("SIP/88-000000ca", "20,1") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx_builtins.c: Goto (macro-dialout-trunk,20,1) [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [20@macro-dialout-trunk:1] Goto("SIP/88-000000ca", "continue,1") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx_builtins.c: Goto (macro-dialout-trunk,continue,1) [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [continue@macro-dialout-trunk:1] NoOp("SIP/88-000000ca", "TRUNK Dial failed due to CHANUNAVAIL HANGUPCAUSE: 20 - failing through to other trunks") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [continue@macro-dialout-trunk:2] Set("SIP/88-000000ca", "CALLERID(number)=88") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [09981000000@from-internal:6] Macro("SIP/88-000000ca", "outisbusy,") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-outisbusy:1] Progress("SIP/88-000000ca", "") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-outisbusy:2] GotoIf("SIP/88-000000ca", "0?emergency,1") in new stack [2020-10-18 18:46:17]

VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-outisbusy:3] GotoIf("SIP/88-000000ca", "0? intracompany,1") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-outisbusy:4] GotoIf("SIP/88-000000ca", "0?unallocated,1") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-outisbusy:5] GotoIf("SIP/88-000000ca", "0? unallocated,1") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] pbx.c: Executing [s@macro-outisbusy:6] Playback("SIP/88-000000ca", "all-circuits-busy-now&pls-try-call-later, noanswer") in new stack [2020-10-18 18:46:17] VERBOSE[15039][C-000003a4] file.c: Playing 'all-circuits-busy-now.slin' (language 'pr') [2020-10-18 18:46:17] NOTICE[2918] chan_iax2.c: Restricting registration for peer '9' to 60 seconds (requested 300) [2020-10-18 18:46:20] VERBOSE[15039][C-000003a4] file.c: Playing 'pls-try-call-later.slin' (language 'pr') [2020-10-18 18:46:22] VERBOSE[15039][C-000003a4] pbx.c: Executing [h@from-internal:1] Hangup("SIP/88-000000ca", "") in new stack [2020-10-18 18:46:22] VERBOSE[15039][C-000003a4] pbx.c: Spawn extension (from-internal, h, 1) exited non-zero on 'SIP/88-000000ca' [2020-10-18 18:46:22] VERBOSE[15040][C-000003a4] app_mixmonitor.c: MixMonitor close filestream (mixed) [2020-10-18 18:46:22] VERBOSE[15040][C-000003a4] app_mixmonitor.c: End MixMonitor Recording SIP/88-000000ca